

TOWN OF MERIDIAN HILLS INVENTORY

3/9/2026

RESOLUTION COMPLETE / CLOSED / NO FURTHER ACTION NECESSARY

RESOLUTION ONGOING - NO ACTION NECESSARY BY MERIDIAN HILLS

RESOLUTION ONGOING - ACTION IS NECESSARY BY TOWN OF MERIDIAN HILLS



DRAINAGE COMPLAINTS

DATE REC'D	NAME OF COMPLAINANT	PHONE NUMBER	ADDRESS OF DRAINAGE ISSUE	DRAINAGE COMPLAINT DETAILS	NEW/OLD	ACTION TAKEN	DATE OF ACTION	ACTION BY	RESPONSIBILITY			NOTES	DATE OF COMPLETION
									INDY	CEG	MH		
3-Mar-21	Meridian Hills / Willie Hall	317-780-1555	7499 Illinois Street (SE cnr of 75th and Illinois)	Standing water on east side of Illinois south of 75th Street	New	WH reported issue to CEG and DPW. Follow up conversation with Dustin Thurston with DPW.	3-Mar-21	WFH	X	X		SR# 108259950. Photos of standing water sent to DPW and CEG, and followed up with a phone reporting the issue. DPW indicated that complaints for this issue date back to 2006 and 2009. CEG is being directed to investigate the issue. WH has requested an update from DPW on the investigation on 5/7/2021. CRE to do some additional investigation on 10/11/2021 to determine alternative options. 11/17/2021 - sent follow up information to Walter to discuss potential options. 5/2/2022 - met with adjacent property owners and sent two (2) proposed options for DPW / CEG to consider. 5/13/2022 - sent follow up e-mail to DPW to check in on status of decision. Met with DPW, and they are considering options on how they will proceed.	
9-Sep-22	Colleen Fields		Morningside Drive - north of 75th Street	Drainage and Erosion Issues along Morningside Drive	Old	LAS and WFH have discussed with Colleen and will be discussing with Town at Sept. meeting.	9/9/2022 10/4/2022	LAS/WFH	X	X		Recommendation is for WFH to issue to DPW to consider a drainage improvements project in this location. 10/7/2022 Update - WH sent request to City of Indianapolis to inspect and review the current drainage conditions, and install drainage infrastructure to convey the runoff from the west. 11/4/2022 Update - met with Indianapolis DPW (Shannon Killion and Anna Belovic) on site to discuss drainage issues. DPW to have survey and additional investigation completed, and then will discuss potential improvements further. 1/7/2023 Update - no response / feedback from DPW yet. 3/13/2023 Update - DPW has found that improvements are feasible. They will be putting together a scoping report and see if the work can fit in the 2024 budget, or not. Sent another follow up e-mail on 5/3/2024. Has been added to DPW's list for potential future capital improvements project per Shannon Killion on 5.6.2024.	
10-Apr-23	Kevin McKinney		510 E. 75th Street	Concern culvert crossing 75th Street is under capacity and needs maintenance.	NEW	LAS and WFH will review and determine if issue should be sent to DPW. Recommendation is for property owner to maintain routine ditch maintenance.	19-May-23	WFH	X			LAS/WFH will review and determine if issue should be sent to DPW for investigation. E-mail sent to Shannon Killion (DPW) on 5/19/2023, but have not heard any response as of 7/7/2023. WFH requested an update from the City of Indianapolis again on 9/11/2023. Sent another follow up e-mail on 5/3/2024. Has been added to DPW's list for potential future capital improvements project per Shannon Killion on 5.6.2024.	
19-Apr-24	Michael Gelatt		7030 N. Penn Street	Front and rear yard flooding in recent storm events	NEW	WFH responded to resident and sent email to Indianapolis DPW (Shannon K. and Natalie S.) to request that CEG study the area for potential solutions.	3-May-24	WFH	X	X		E-mail sent to Shannon Killion and Natalie Stephen (DPW) on 5/3/2024 requesting that CEG investigate the issue. Has been added to DPW's list for potential future capital improvements project per Shannon Killion on 5.6.2024.	
17-Mar-25	Michael Gelatt		7030 N. Penn Street	Front and rear yard flooding in recent storm events	OLD	City DPW contacted. No projects programmed for the TOMH.	3-Apr-25	DMB	X			Phone call with DPW had. City stated that there are no current plans for projects. E-mail with findings sent back to Mr. Gelatt on 4.9.25	
1-Aug-25	Kevin McKinney		510 E. 75th Street	Concern culvert crossing 75th Street is under capacity and needs maintenance.	OLD	Service request by DPW was made to cleaning pipe under 75th St.	7-Aug-25	DMB				An IPR will be established if cleaning does not resolve the issue per Anna Belovic (DPW) on 8.7.25 3.3.26 - DPW completed a site visit and stated they will not be taking further action. Maintenance of vegetation blocking pipes is responsibility of property owner.	3.3.26

1-Aug-25	George Higgins		7504 Morningside Dr	Flooding on Morningside Dr	NEW	DPW investigation prompted by e-mail	7-Aug-25	DMB				Drainage pipe along west side of Morningside appears to originate on private property. Asset ownership is in question based on email with Anna Belovic (DPW) on 8.7.25	3.3.26
----------	----------------	--	---------------------	----------------------------	-----	--------------------------------------	----------	-----	--	--	--	--	--------

INFRASTRUCTURE/MISC COMPLAINTS

DATE REC'D	NAME OF COMPLAINANT	PHONE NUMBER	ADDRESS OF ISSUE	COMPLAINT DETAILS	NEW/OLD	ACTION TAKEN	DATE OF ACTION	ACTION BY	RESPONSIBILITY			NOTES	DATE CLOSED
									INDY	CEG	MH		
8/29/2022	BJ Mills		75th and Pennsylvania	Visibility of stop sign at 75th and Penn. is impacted, and concerns of vehicles not stopping at intersection.	OLD			WH				WH sent e-mail to council on 9/30/2022 with options and requesting additional direction. 11/13/2022 Update - monitoring situation to determine if any further steps are necessary. Response has been positive that striping and signage improvements have been working. Will continue to monitor situation.	
4/12/2023	Charles Holt		618 E. 75th Street and 73rd Street - between Spring Mill Road and Meridian Street	potholes	NEW	CRE will investigate and address accordingly	4/13/2023	LAS				LAS investigated on 4/13/2023 and issued for repair. Potholes on 75th Street issued to Globe and pothole on 73rd Street issued to DPW (service request #23-00048136). LAS will follow back and make sure potholes have been addressed. Potholes on 75th Street have been addressed. DPW did not address potholes on 73rd.	
11/1/2024	Rick Batza		75th Street - Spring Mill to College	Lack of Speed Limit Signs	New	CRE will evaluate the quantity and location of the existing speed limit signs and provide a recommendation to Council	11/2/2024	WH			X	CRE to evaluate	
11/4/2024	John Dillon		71st and Penn	Stop Sign Post - Relective Strips	New	CRE to issue to Morphey to install reflective strips on SB Stop Sign post	11/4/2024	WH			X	Work issued to Morphey on 11/4/2024. Work was completed on 11/19/2024.	19-Nov-24
2/3/2025	W. Eric VonHoven		Pennsylvania and 75th St	Downed Stop Sign	New	CRE to issue to Morphey to install new stop sign for SB Pennsylvania. DPW has been contacted to provide a temporary stop sign until repair is complete.	2/5/2025	DMB			X	Work issued to Morphey on 2/5/25. Work was completed on 2/12/2025.	6-Mar-25
1/13/2025	Michtell Kampman		75th St & Illinois St	Near ped misses & stop sign running	NEW	Field visit and observation during PM peak. Issues are valid.					X	Recommendations include: enforcement, raised intersections, flashing stop signs	
2/18/2025	Michael Russo		77th and Holiday Dr E	Downed Stop Sign	New	CRE to issue to Morphey to install new stop sign at 77th and Holiday Dr E.	2/19/2025	DMB			X	Work issued to Morphey on 2/19/25. Work was completed on 2/26/2025.	6-Mar-25
6/4/2025	Gordon Weliky		Holliday Dr & 64th St	Down Street Sign	New	Morphey reset damaged sign	6/16/2025	DMB			X	Work issued on 6/9/25 and completed by 6/16/25.	16-Jun-25
7/27/2025	Shirley Fry		Holliday Dr & Wellington Rd	Down Street Sign	NEW								
7/22/2025	Neil Levine		7590 Morningside Dr	Roadway resurfacing limits	NEW	Resurfacing completed up to 7576 Morningside Dr	7/22/2025	DMB			X	Paving limits stopped at historical stopping point and did not include what appears to be a private driveway.	7/22/2025
7/25/2025	Lisa Claghorn		64th St east of Spring Mill	potholes	NEW	pothole filled	8/25/2025	DMB			X		8/25/2025
7/15/2025	Dan Riggenbach		Gypsy Hill Rd	Resurfacing request	NEW	Private street. No action req'd	7/16/2025	DMB				Mr. Riggenbach was notified by David Borden that roadway was private and the town would not be repairing or resurfacing any segment of the road.	7/16/2025
7/25/2025	Town Council		210 W 64th St	brush overgrowth in R/W	NEW	letter sent from town to residents to clear overgrowth in R/W	8/7/2025	DMB			X		

UTILITIES

DATE REC'D	UTILITY	PHONE NUMBER	ADDRESS OF WORK	WORK DETAILS	DATE OF WORK	WORK IN PAVEMENT?	DATE OF RESTORATION INSPECTION	INSPECTED BY	NOTES	DATE CLOSED
8/29/2025	CEG		6479 N Illinois St	We will be doing a gas service installation at 6479 N Illinois St. We will be making one 5x6 dirt cut and one 5x6 asphalt cut. . Measurements are 15' EC/L ILLINOIS ST & 16' SC/L 65TH St.		Y				
8/27/2025	CEG		200 Wellington Rd	We will be doing a gas service installation at 200 Wellington Rd. We will be making one 5x6 dirt cut. Measurements are 23' NC/L WELLINGTON RD & 19' WC/L HOLIDAY DR E.		N				
8/26/2025	CEG		7484 N Park Ave	We did an emergency water valve replacement at 7484 N Park Ave. 8' x 20' lawn cut and a 2' x 8' concrete curb cut was made. 29' S c/l E 75 th St- 12' W c/l N Park Ave.		Y			Resurfaced on 24-TOMH-01	
8/25/2025	CEG		50 Gregg Rd	We will be doing a gas service installation at 50 Gregg Rd. We will be making two 3x5 dirt cut. Measurements are 14' s of C/L of Gregg Rd..150' W of C/L of Meridian St.		N				
7/29/2025	CEG		501 E 75th St	We will be doing a gas service installation at 501 E 75th St. We will be making a 5x6' dirt cut. Measurements are 146' S c/l E 75th St...12' W c/l Central Ave.		N				
8/28/2025	Metronet		73rd St	Metronet is performing work east of 44 E 73rd St		N			Mr. John Sweeney was concerned about work in his front yard. CSU (sub for Metronet) confirmed that there is not any work being performed at this property per phone call with Sally on 9/2/25.	
10/29/2025	CEG Water		7301 N Illinois St	Water main repair. 8x8 dirt cut made 30' N of C/L of 73rd St and 17' E of CL of Illinois St	28-Oct	N				
12/22/2025	CEG Gas		7485 Central Ave	We will be installing a gas service at 7485 Central Ave. 2' x 2' asphalt cut, 137' S c/l E 75th St- 2' W c/l Central Ave. 3' x 5' dirt cut, 137' S c/l E 75th St- 30' W c/l Central Ave. We will be starting after 12/29, and the job should take 1 day to complete.	29-Dec	Y				

REVIEW PROJECTS

DATE REC'D	NAME OF PETITIONER	PHONE NUMBER	PROJECT ADDRESS	NEW/OLD	ASSIGNED REVIEWER	DEVELOPMENT STANDARDS APPROVAL	DRAINAGE APPROVAL	NOTES	DATE CLOSED
30-Apr-21	Tim Smith	(317) 710-0894	7550 Central Ave.	OLD	WFH	NO	NO	Sent review comments to petitioner on 5/13/2021. No response to date.	
13-Sep-24	Joe Gradison	(317) 594-7575	7575 N. Pennsylvania Street	NEW	WFH	NO	NO	Sent review comments to petitioner on 9/26/2024. No response to date. 12/17/2024 Update - 2nd Review Sent. Project is back to applicant for revisions	
9-Jan-25	Scott Bates	(317) 408-4853	7375 N. Pennsylvania Street	NEW	DMB	YES	YES	Review completed, all comments addressed.	6-Feb-25
21-Jan-25	David Foley	(317) 366-2303	35 W. 72nd St.	NEW	DMB	NO	NO	Sigma Builders LLC inquiring into maximum driveway width standards for residential drives within town R/W. e-mail sent on 1/21/25 to Mr. Foley attaching Indianapolis residential driveway standards for guidance.	21-Jan-25
10-Feb-25	Mitchell Kampman	(260) 316-3831	7499 N. Illinois St	NEW	DMB			Evaluation underway by CRE	10-Mar-25
7-Aug-25	Lisa Luersen	(317) 435-6011	7481 E Holliday Dr	NEW	DMB	YES	NO	Fence installation. Survey required to verify property line vs. GIS	14-Aug-25
10-Feb-26	Mingee		25 W Meridian St	NEW	DMB	NO	YES	Review of garage and portico construction drainage.	24-Feb-26
23-Feb-26	Steven Savoei		138 Fairway Dr	NEW	DMB	YES	YES	New home construction on existing foundation	

ARCHIVED DRAINAGE COMPLAINTS

DATE REC'D	NAME OF COMPLAINANT	PHONE NUMBER	ADDRESS OF DRAINAGE ISSUE	DRAINAGE COMPLAINT DETAILS	ACTION TAKEN	NOTES	DATE OF COMPLETION
24-Oct-16	Anne Jay		7435 Central Avenue	Drainage issues on Central Avenue south of 75th Street	Survey drawings and professional recommendations provided to residents. At Nov. 14, 2016 Council mtg, it was indicated to the residents that this is not MH's responsibility and no further action will be completed.	CLOSED.	14-Nov-16
	Joe Finneran	317-251-8433	7650 N. Washington Blvd.	Drainage issues experienced in his rear yard which may possibly be from adjacent construction. Also, broken water valve at NW corner of 75th and Central Ave.	Contacted BNS (per Rachel Wilson recommendation) to evaluate the possible drainage issue. BNS indicated private issue, but any storm sewer installation would need to be permitted. CEG indicated that water valve is in line to be fixed, but no timeline.	Follow up with resident indicated that situation has improved. Residents to the north have proposed work to help situation. CLOSED.	6-Dec-16
	Dr. John Brown	317-281-1715	North Meridian Hills Blvd.	Drainage issues experienced in ditch during to neighbor's improvements	Contacted resident for follow up.	Follow up with resident indicated that issue has been fixed by neighbor. CLOSED.	6-Dec-16
			7950 Meridian Street	Sinkhole on Williams Creek Boulevard due to failing/failed culvert.	Complaint was submitted to Indy/CEG for evaluation. Assigned to Suez on 9/15/2016, and is scheduled for work in 2017.	2017 Construction. CLOSED per LAS inspection on 4/28	27-Apr-17
9-May-16			7401 Holliday Drive East	The roadside ditch at the service address was re-graded in 2014 but it does not drain properly because it appears the downstream culvert is a higher elevation.	Complaint was submitted to Indy/CEG for evaluation. Assigned to Suez on 9/12/2016, and is scheduled for work in 2017.	Completed. See entry for 7410 HDW below.	1-Aug-17
6-Oct-16	MH Police and Residents		7302 Pennsylvania Street	There is a sink hole in the pavement near a water valve at 7302 N Pennsylvania Street that may indicate a failure in the water line and undermining of the street pavement.	Complaint was submitted to Indy/CEG for evaluation. CEG placed a steel plate and cones for protection. Work to be completed by CEG. No timeline known at this time.	ROE fully executed on April 26th. Construction Complete on 4/28/2017 per CEG. CLOSED.	28-Apr-17
	Scott Lowe	317-997-1589	7530 N. Pennsylvania Street	Front yard drainage issues due to lack roadside drainage.	Contacted Indy DPW to evaluate drainage complaint. They investigated and work is scheduled for 2017 construction. ROE sent to Walter for execution and delivery to Indy.	Per CEG (Jose) all work has been completed. CLOSED.	??
	Devin Anderson	317-681-5069 317-250-7471	7701 N. Pennsylvania Street	Resident previously approved for drive connection to Washington Boulevard and is required to install culvert. Resident is concerned about adjacent project to west discharging additional water to property and if culvert is still needed.	Contacted BNS to discuss the proposed storm pipe project from the west adjacent property (7707 N. Penn St.). Jeff Meid indicated that project should go through Indy permitting for the storm pipe installation. Walter dropped off letter to residents.	Per Meridian Hills resident at March Council Mtg, work has already been completed. Will check in if notified of any other issues. CLOSED.	13-Mar-17
7-Mar-17	Carolyn Kunkler		721 Nottingham Ct.	Resident is property owner of adjacent parcel, concerned that drainage issues will be caused by the new home construction proposed on 721 Nottingham.	Contacted resident to discuss concerns. All issues are either being addressed by the plot plan comments, or are private property grading issues. Resident also contacted BNS. WFH requested contractor to work with Ms. Kunkler to make sure concerns are addressed during construction. Contractor replied in kind.	Contractor to coordinate with resident during construction of 721 Nottingham. CLOSED.	7-Mar-17
	Lance	317.439.5515	CrossRoad Engineers	west side of Pennsylvania crossing Williams Creek Blvd has sunken pavement over culvert crossing likely pipe failure	CRE noticed this during annual pavement evaluation and reported to DPW for evaluation and repair on 3/30	SR 107820407 has been assigned to WWS to inspect and repair/replace as necessary a cross pipe on Williams Creek Blvd. email on file where DPW and CEG assigned to construction. ROE fully executed on 4/26/2017. Construction Complete on 4/28/2017 per CEG. CLOSED.	28-Apr-17

4-May-17	Bart Kister	317-251-1381	7560 Morningside Drive	Left VM concerning ongoing drainage issue due to a drain needing to be replaced. "Not serious".	WFH left VM for resident on 5/5/2017 to discuss.	Letter provided to resident on 5/8/2017. Issue is a private issue, and recommendations were provided in the letter. No action necessary for TOMH or Indianapolis.	8-May-17
	Ted Butz	317.431.7555	tedbutz@talktotucker.com	west side of Central sinkhole over culvert pipes north of 75th Street	CRE noticed this during annual pavement evaluation and reported to DPW for evaluation and repair on 3/29	Per CEG, all work has been completed. CLOSED.	20-Jun-17
14-Jul-17	John Custer	317-340-0134	7410 Holliday Drive West	Pipe culvert on north side of 74th St. and HDW intersection is collapsed, backing water up and pavement failures are forming.	WFH met resident on site and confirmed issue. Complaint has been re-issued with the City on 7/21/2017.	Per resident at 7410, the culvert replacement and pavement patching has been completed. CLOSED.	1-Aug-17
30-Aug-16	Randy Seager	317-686-5203	55 Williams Creek Blvd.	The drainage pipe under Williams Creek Blvd. at the intersection with Penn is collapsing with all the rain and now there is a significant depression in the street that has just appeared and is getting worse.	Complaint was submitted to Indy/CEG for evaluation. Assigned to Suez on 9/13/2016, and is scheduled for work in 2017.	Per Indianapolis, all work has been completed. CLOSED.	1-Aug-17
13-Jul-17	Randy Seager	317-686-5203	55 Williams Creek Blvd.	Complaint forwarded by Sue Beasley concerning condition of culvert replacement at WCB and Penn St., and about standing water downstream of culvert.		Indianapolis has no additional work planned as of now. Per comments from January 2018 Council Meeting, no additional action is necessary.	1-Aug-17
10-Oct-17	Sean Belby	sean@seanbelby.com	170 E. 71st Street	Concerns of standing water / inlet capacity of structure in 71st Street at noted address.	Drainage complaint forwarded to Indy DPW. Rachel Wilson indicated that issue has been assigned to CEG to resolve. Checking in with Dustin Thurston for an update on status.	Indy DPW has assigned work to CEG. Issue is under the jurisdiction of the City of Indianapolis. No action for TOMH at this point. CEG indicated that work done in September 2017, December 2017, and February 2018. Resident continues to follow up. Will close out this complaint.	31-Dec-18
31-Dec-18	Karen Wirts	karen.wirts@yahoo.com	170 E. 71st Street	Concerns of standing water / inlet capacity of structure in 71st Street at noted address.	Walter responded by e-mail to complaint that this issue is the responsibility of the City of Indianapolis, and provided phone contact number for MAC.	No further action required for TOMH. Complaint is closed.	31-Dec-18
19-Feb-19	TOMH		65th and Meridian Street	Bank / Slope Failure	E-mail sent to CEG and DPW on 2/19/2019 to investigate slope failure which appears to be with Meridian ROW, and request to perform fix. Tried to report to RequestIndy, but request already started by Indy/CEG.	Issue repaired by CEG. Complaint is closed.	11-Mar-19
13-May-19	TOMH		7151 N. Pennsylvania Street	Bank / Slope Failure	E-mail sent to CEG and DPW on 5/13/2019 to investigate slope failure and to perform fix. Tried to report to CEG, but was directed to DPW.	Issue has been investigated by DPW and sent to CEG for further action. Follow up e-mail sent on 7/8/2019. 9/9/2019 Update - ROE was executed and returned on 8/26/2019. Waiting on DPW/CEG to repair. (Cross-referenced on Infrastructure tab). Culvert replaced by CEG, issue is CLOSED	11-Oct-19
13-May-19	Ted Butz	317-431-7555	7555 N. Central	Concerns with capacity of existing culvert and side yard ditch between properties, and downstream Morningside culvert.	Will be meeting with resident prior to Council meeting on 5/13/2019	Proposal was sent to homeowners in May, but never received a response. Will keep on list for reference if property owners contact the Town again, but no action at this time. Will consider this item closed at this point.	7-Feb-20
9-Nov-16	Tobin Richer	Richer - 317-665-0366	7500-7600 Pennsylvania Street	Drainage ditch improvements were completed on 7605 and 7615 Penn. Street, but no improvements were completed on 7625 Penn Street (Richer parcel).	Contacted Rachel Wilson (DPW) to confirm status of work. She indicated that CEG/Suez was completing field investigation to determine if ditch improvements can be continued on Richer parcel. Contacted again on 1/6/2017 to see if field investigation has been completed.	2017 Construction. Followed up with Jose (CEG) on 5/4/2017 to find out status. As there has been no follow up or additional drainage complaints, we will consider this item closed at this point.	7-Feb-20

4-Jan-19	Callahan		7302 N. Pennsylvania Street	Pavement failure due to water main/valve leak.	E-mail sent to CEG and DPW on 1/14/2019 to investigate pavement failure and request to perform fix.	Issue reported to CEG. It is anticipated that the issue may not be related to the previous leaking water value, but rather, an issue with the existing storm sewer system. CEG is scheduling for storm sewer to be CCTV'd and will respond with findings / next steps. CEG indicated that they have sent to Indy to complete street repair. Followed up on 9/9/2019. (Also listed on Drainage tab) 11/8/2019 Update - Indy DPW patched, but not to the Town's standards. 2/3/2020 Update - WH e-mailed the video from Cole showing water pumping up through the road. 2/4/2020 Update - CEG responded that they will investigate to determine next course of action. WH sent another follow up e-mail on 3/6/2020. CEG installed concrete patch.	13-Aug-20
6-Mar-20	Indy DPW / Keith Trump	317-517-2108	7455 Central Ave	Drainage concerns following installation on Central Ave. curb.	WH called to discuss item with Indy DPW. Item will be discussed at 3/9/2020 council meeting, and will follow up as necessary	Property owner issued complaint with Indy DPW concerning drainage issues due to Central Ave. curb installation. 07/10/2020 UPDATE - Mr. Trump provided photos of the issue at the June council meeting, and follow up e-mails in July. Greg J. has investigated during recent rain events, and W.H. is working on issuing an update with request for direction from the Town. To be discussed at 9/14/2020 Council Meeting. This item was discussed and considered resolved at the October 14th meeting. It is considered CLOSED.	14-Oct-20
	Kahn / John Deignan	954-410-2561 847-975-1006	7525 N. Pennsylvania Street	Front yard drainage issues due to insufficient roadside ditch.	Contacted Indy DPW to evaluate drainage complaint. They investigated and would like additional pictures and flooding information prior to scheduling work.	New property owner has provided camera footage of pipe which indicates blockages, tree roots, and small diameter pipe inside the culvert (6" inside of the 12"). Pipe culvert needs replaced. CRE to provide letter of professional opinion so resident can coordinate with neighbors, as any work is expected to impact existing tree on 7515 Parcel. WFH still has understanding that homeowner is working to complete a fix. 11/9/2020 Update - DPW/CEG will be completing work to re-establish the roadside swale downstream of the 7525 N. Penn parcel, and replace the necessary drive culverts. DPW has issued a ROE entry document to the Town, and TOMH is in process of executing the ROE. Following execution of the ROE, there will be no additional action necessary by the Town. Item is considered 'resolved', and as soon as the ROE is fully executed, the item will be considered CLOSED.	11-Dec-20
13-Sep-21	Lee Tuminello	317-525-8008	73rd and Illinois	Drainage issues in rear yard due to drainage coming from 73rd Street.	WFH has discussed with homeowner and sent an e-mail to DPW to investigate,	WFH met with homeowners on 10/11 to do site visit and discuss options. E-mail was sent to Dustin Thurston on 10/12/2021 detailing the issue and requesting that the City investigate and implement a fix. 11/12/2021 - Indianapolis has added to their IPR list with a low priority rating. Corrective action is not expected to happen in a timely fashion.	12-Nov-21

2-Jul-21	Greg Jacoby		Park Ave. - South of 75th Street	Erosion behind curb at existing inlet	LAS reporting issue to CEG and DPW to review	<p>Issue reported to CEG and DPW. No follow up from CEG yet. CRE to evaluate if anything has been done, and if not, will reach back out to CEG. 3/31/2022 LAS sent to CEG/DPW again and response was SR# 108374719 - referred the culvert asset to CW for evaluation and repairs. GIS also shows an inlet and 1 pipe culvert pipe needs to be asseted. Action of placing erosion control blanket did not work as it appears erosion is caused by a below surface issue like a pipe or structure hole pulling in the material. Reported again on May 2nd by Greg Jacoby. See 4/1/2022 email. LAS sent back to DPW/CEG to inquire about the EC measure that failed see 5/5/22 email to Warren Brown. Will continue to monitor situation to see if additional coordination is necessary. Per Greg Jacoby, item has been resolved and is considered CLOSED.</p>	7-May-23
9-Nov-21	Eric Roberts	317-771-2434	7735 N. Pennsylvania St.	Drainage Issues	WFH has discussed with homeowner and will be meeting with resident on-site.	<p>WFH met with homeowner on 3/14/2022 to look at issue. Will request DPW to consider extending their previous roadside ditch project. However, work on private property will still be required to fix majority of issue, and this was discussed with the homeowner. - As majority of issue is dependent on work on private property, request for DPW investigation and improvement won't happen until work on private property is completed.</p>	

ARCHIVED INFRASTRUCTURE/MISC COMPLAINTS

DATE REC'D	NAME OF COMPLAINANT	PHONE NUMBER	ADDRESS OF ISSUE	COMPLAINT DETAILS	ACTION TAKEN	NOTES	DATE CLOSED
16-Nov-16	Sandi Hauanio	sandihauanio@yahoo.com	73rd and College Ave.	The street sign at 73RD and College is facing the wrong direction.	Signaram rotated the sign, adjusted the pole, and added concrete.	Work Completed. CLOSED.	18-Nov-16
19-Dec-16	Brian McQueen		7402 Holliday Drive E.	Requesting to add additional street signage for the existing crosswalks and the school zone area.	Made recommendation to MH Town Council on 12/16/2016. Released Morphey to complete work on 1/25/2017.	Work Completed on 2/20/2017. CLOSED.	20-Feb-17
20-Dec-16	Patrick Jendraszak	(317) 259-4373 x 211	75th and Holliday Dr. E. - St. Luke's School	Street ID sign hit and laying on the ground.	Quote received from Signarama, and per Jim Rush's e-mail on 12/28/2016, they are proceeding with material ordering and then will complete replacement.	Work Completed on 2/8/2017. CLOSED.	8-Feb-17
15-Feb-17	Jo Beck Jennings	317-340-7027	7481 Holliday Drive E.	Existing lamp post hit and taken out.	LAS submitted inquiry to IPL to replace the lamp post.	IPL replaced light and pole (LAS). IPL will be proceeding with lamp post replacement and coordination with the resident regarding possibility of insurance claims.	30-Mar-17
27-Feb-17	Walter		71st and Meridian Hills Blvd.	Existing light pole hit and taken out.	LAS submitted inquiry to IPL to replace light pole. Also, suggested for property owner to look into possible police report for information on submitting insurance claim to fix any private property damage.	Completed by IPL. CLOSED.	12-Mar-17
1-Mar-17	Jason Koch		99 E. Arden Dr.	City of Indianapolis completing a culvert lining project. Requesting ROE from MH to access ROW to complete project.	Sent ROE agreement to Walter for execution on 3/2/2017.	Pending Construction. CLOSED.	2-Mar-17
5-Dec-16	Joe Seufert	317-289-3519	75th and Holliday Dr. E. - St. Luke's School	Requesting crosswalk markings and re-marking the stop bar on Holliday Drive E., north of 75th Street	Replied to Joe Seufert that any pavement markings determined to be necessary would be added to the 2017 Paving Project. Will coordinate with him next year.	Work completed with the 2017 Paving Project. CLOSED.	25-Aug-17
26-Apr-17	Travis Bonnell	317-468-8163	7450 Holliday Drive West	Pothole within the onstreet parking at edge of Holliday Drive West.	Conversations between Jim/Lance and Travis are ongoing. Lance sent follow up e-mail.	Potholes have been patched and resident is satisfied. CLOSED.	31-Jul-17
18-Oct-17	Andrew Thompson	330-465-0795	7307 Holliday Drive West	Concerns with repaving project, and lip that is left.	Lance will be meeting with Andrew to discuss.	Lance discussed with resident. No action necessary. CLOSED.	18-Oct-17
17-Sep-17	Jeffrey Waterman	317-255-2186	Penn. Ave and E. 70th Street	Potholes on 70th Street, east and west of Penn.	Lance directed Globe to fix under on-call contract	Potholes have been patched. CLOSED.	1-Aug-18
12-Feb-18	Anita Dansker	adansker@comcast.net	75th and Meridian St.	Potholes on Meridian from 75th to 86th	Request submitted to Indy MAC	Indy DPW issue. CLOSED.	1-Aug-18
3-Apr-18	Jim Rush		115 Wellington Rd. and 75th and Penn.	Potholes need fixed	Lance directed Globe to fix under on-call contract	Potholes have been patched. CLOSED.	5-Apr-18
18-May-18	Jim Rush		71st and Williams Creek Dr.	Potholes need fixed	Lance directed Globe to fix under on-call contract	Potholes have been patched. CLOSED.	23-May-18
18-May-18	Jim Rush		71st and Williams Creek Dr.	Potholes need fixed	Lance directed Globe to fix under on-call contract	Potholes have been patched. CLOSED.	23-May-18
17-Oct-18	Mike Russo		73rd and Illinois	Stop sign down and needs fixed.	Lance directed Morphey to replaced and fix.	Sign replacement completed. CLOSED.	18-Oct-18
24-Oct-18	Randy Seger		55 Williams Creek Blvd.	Street light does not work.	Issue reported to IPL	IPL - Light repair is complete. CLOSED.	12-Nov-18

26-Nov-18	TOMH		7341/7345 Washington Blvd; 323 Pennridge	Miscellaneous Potholes	Request for Globe to repair sent on 11/26, and 12/05.	All pothole repairs completed by Globe. CLOSED.	5-Dec-18
19-Feb-19	TOMH		65th and Meridian Street	Bank / Slope Failure	E-mail sent to CEG and DPW on 2/19/2019 to investigate slope failure which appears to be with Meridian ROW, and request to perform fix. Tried to report to RequestIndy, but request already started by Indy/CEG.	Issue repaired by CEG. CLOSED. (cross-referenced on Drainage tab)	11-Mar-19
19-Feb-19	TOMH		E.B. 75th Street between College and Morningside; E.B. 64th Street west of Meridian; Pennsylvania and WCB.	Miscellaneous Potholes	Request for Globe to repair sent on 2/19, 2/25, and 3/4.	All pothole repairs completed by Globe. CLOSED.	4-Mar-19
24-Apr-19	Shirley Fry	317-726-1703	210 W. 64th Street	2018 Maintenance Project trimmed branches and left on site.	Lance responded that limbs will be removed by contractor. Limbs were moved back onto property from which they were trimmed, and is on Baumgartners punch list to pick up and remove.	Work completed by Baumgartner with punch list work. Closed.	9-Sep-19
6-May-19	Thom Burleson	317-370-5059	99 E. 70th Street	Rutting on south side of 70th Street that was caused by 2018 Paving project.	Lance responded to resident and is adding rut repair to 2018 project punch list.	Work completed by Baumgartner with punch list work. Closed.	9-Sep-19
7-May-19	Cindy Knoll	317-507-5148	Williams Creek Drive and Sherwood	Yield Sign is down and needs repaired	Lance responded to resident and is directed Morphy to reset soon as feasible.	Sign will be reset by Morphy. CLOSED.	17-May-19
9-May-19	Richard Ellis	502-262-9696	7425 Spring Mill Road	Damaged irrigation due to utility project on Spring Mill Road	Jim Rush responded that this should be reported to DPW as it is outside of TOMH jurisdiction.	No action necessary for TOMH. Closed.	9-May-19
13-May-19	TOMH		7151 N. Pennsylvania Street	Bank / Slope Failure	E-mail sent to CEG and DPW on 5/13/2019 to investigate slope failure and to perform fix. Follow up e-mail sent on 7/8/2019.	Issue has been investigated by DPW and set to CEG for further action. Follow up e-mail sent on 7/8/2019. 9/9/2019 Update - ROE was executed and returned on 8/26/2019. Waiting on DPW/CEG to repair. (Cross-referenced on Drainage tab) Culvert replaced by CEG, issue is CLOSED	11-Oct-19
23-May-18	TOMH		Holliday Drive West and 64th Street	Sink hole in pavement.	WFH requested DPW/CEG to repair by e-mail on 5/23/2018. SR 107957143	WFH to verify that improvements were completed. CLOSED.	11-Nov-19
24-Oct-18	Randy Seger		WCB and Penn	Speed limit sign down and needs fixed.	Lance directed Morphey to replaced and fix.	CLOSED.	
13-Sep-18	TOMH		7101 N. Penn St.	Sink hole off the pavement	Issue reported to CEG online on 9/13/2018. SR 110521287	WFH to complete site visit today to verify that CEG has repaired. Anticipated that issue was due to utility installation. CLOSED.	11-Nov-19
29-Sep-19	R. Linsmith		65th and Springmill / Wellington and Springmill	Broken Street Lights	Issue reported to IPL as "light is out"	LAS reported both of these Washington style street lights (pole numbers 408-305 A and 409-305 A) to IPL online. Reported as "light is out" for both. 408-305 A is across from 65th Street on east side Spring Mill Road. 409-305 A is on Northeast corner of Wellington Road and Spring Mill Road. 11/8/2019 Update - resident confirmed that IPL has fixed the street lights. CLOSED.	8-Nov-19
7-May-19	Jim Rush		7575 N. Illinois St.	Pothole needs repaired with Illinois Street	Jim Rush issued to Globe to fix.	WFH followed up with Globe to repair on 11/8/2019. CLOSED.	11-Nov-19

26-Dec-19	Jim Rush		64th and Meridian	Street ID Sign and Stop Sign knocked down and damaged.	WH coordinated stop sign work with DPW and Street ID Sign repair with Signarama	DPW replaced stop sign and recovered the Street ID sign. Signaram picking up from DPW to salvage/repair and reinstall. Follow up - Signarama has installed new sign and has invoiced the Town. CLOSED.	5-Mar-20
31-Mar-17	Ted Butz	317.431.7555	On 75th west of Central Ave	Water valve leaking into roadway	Reported to CEG	CEG is aware of issue. Nonresponsive concerning action on the issue. It has not been addressed to our knowledge, but nothing else for the Town to do, so this item is being considered closed at this time.	
18-Apr-17	Jim Rush		appx 182 MHB	curve chevron and speed signs for both directions wiped out by off road vehicle - no police report	reported to Indy MAC on 4/19 and response email on file	WFH informed Town that Indianapolis has identified that there are no improvements warranted at this locations, and they have improvements planned to implement. WFH has advised Town that they should work with City/County Council to appeal the issue to Indy if desired. This item is being considered closed at this time.	
10-Oct-17	Sean Belby	sean@seanbelby.com	170 E. 71st Street	Concerns with traffic light sequence on College Ave. at Park Tudor	Request resubmitted to Indy DPW. WFH checking in with Scott Omlor (DPW) for update on status.	Indy DPW responded that loops are bad and need replaced. Indy DPW to fix with 2018 Capitol Improvements project. Date of work is currently unknown. This item is being consider closed at this time.	
4-Jan-19	Callahan		7302 N. Pennsylvania Street	Pavement failure due to water main/valve leak.	E-mail sent to CEG and DPW on 1/14/2019 to investigate pavement failure and request to perform fix.	Issue reported to CEG. It is anticipated that the issue may not be related to the previous leaking water value, but rather, an issue with the existing storm sewer syste. CEG is scheduling for storm sewer to be CCTV'd and will respond with findings / next steps. CEG indicated that they have sent to Indy to complete street repair. Followed up on 9/9/2019. (Also listed on Drainage tab) 11/8/2019 Update - Indy DPW patched, but not to the Town's standards. WH e-mailed DPW on 11/27/2019 to request DPW for a more appropriate fix. 2/3/2020 Update - WH e-mailed the video from Cole showing water pumping up through the road. 2/4/2020 Update - CEG responded that they will investigate to determine next course of action. CEG installed concrete patch.	13-Aug-20
	TOMH		277 W. 77th Street	Bank / Slope Failure and Sinkhole	E-mailed issue to DPW on 6/19/2019. Reported to CEG Help Center and DPW by phone on 7/8/2019.	Culvert washout at SE corner of 77th and Spring Mill (277 West 77th Street) service request # 1081-22747 Sinkhole in swale bank appx. 100' south of SE corner of 77th and Spring Mill service request # 1081-22751 The 277 W 77th Street issues at Spring Mill Road were called into CEG call center 1.317.924.3311 X1 X3 and I was deferred and transferred to DPW 1.317.327.1621 and reported there with service request numbers for both issues as follows:Culvert washout at SE corner of 77th and Spring Mill (277 West 77th Street) service request # 1081-22747 // Sinkhole in swale bank appx. 100' south of SE corner of 77th and Spring Mill service request # 1081-22751. WH e-mailed on 11/27/19 to request status update from CEG and DPW. 12/2/2019 Update - DPW is having the area re-inspected for repair. CEG filled sinkhole.	13-Aug-20

31-Jul-20	TOMH (Walter)		SW Corner of 73rd and Illinois	Sinkhole	E-mailed issue to DPW and Citizens Energy on 7/31/2020.	CEG has investigated and they will be repairing on Aug. 17, 2020.	21-Aug-20
24-Jul-20	TOMH and Kameron Shepherd		7505 Morningside	Bank / Slope Failure	E-mailed issue to DPW and CEG on 7/24/2020. Follow up e-mails to DPW and CEG on 7/31/2020 and 8/7/2020.	CEG has investigated and they will be repairing on Aug. 17, 2020.	21-Aug-20
16-Aug-20	Sherm McMurray		64th and Holliday Drive intersection and Meridian and Wellington intersection	Pothole	Reported to RequestIndy on 8/17/2020	Both potholes reported thru RequestIndy. Both potholes have been repaired by DPW.	25-Aug-20
27-Aug-20	Charles Holt	charles.holt@va.gov	138 Meridian Hills Blvd.	Pothole	Reported to RequestIndy on 8/27/2020	Reported to the MAC - Case Number 20-122939. Pothole was repaired by Globe per direction by TOMH. This is item is now considered CLOSED.	14-Oct-20
10-Nov-20	Rick Batza	batza2235@yahoo.com	75th and Holiday Dr. West	School zone speed limit sign	Issued to Morphey Construction to replace sign	Issued to Morphey to replace vandalized sign on 11/10/2020. Followed up with Morphey again on 12/10/2020 and they are waiting for sign to come in. They will respond when they have it. To be replaced by 1/8/2021. CLOSED	12-Jan-21
5-Jan-21	Mark Fakhoury	markfakhourymd@gmail.com	140 Meridian Hills Blvd.	Pothole	Reported to RequestIndy on 1/6/2021	Reported to the MAC - Case Number 21-001331. Pothole filled on 1/11/2021. CLOSED.	11-Jan-21
20-Jan-21	Pat Engel	engelp@epworthindy.org	7088 Central Ave.	Potholes	Reported to RequestIndy on 1/20/2021	Reported to the MAC - Case Number 21-006015. Multiple potholes reported. Considered CLOSED, see 2/25/2021 issue.	26-Feb-21
25-Feb-21	Mark Patterson	mapatte54@aol.com	7076 Central Ave.	Potholes	Reported to RequestIndy on 2/25/2021	Reported to the MAC - Case Number 21-020671. Multiple potholes on 71st Street. Patching completed by Globe on 2/26/2021. CLOSED.	26-Feb-21
3/5/2021 4/2/2021 4/10/2021	Susan Brar - 120 Bow Lane Joe Suefert Charlotte Quinn	susanbrar@gmail.com	71st and Park	Pothole	Reported to RequestIndy on 3/8/2021	Reported to the MAC - Case Number 21-020672. Patching completed by Globe on 4/12/2021. CLOSED.	12-Apr-21
9-Jun-21	Mike Russo		64th and Meridian	Stop sign and Street ID signs were damaged due to accident	Stop sign was issued to Morphey and Street ID sign was issued to Signarama	Request to replace stop was issued to Morphey and request to replace decorative Street ID sign was issued to Signarama. CLOSED.	12-Aug-21
7-Jul-21	Mike Russo		75th Street - Penn to Morningside	Potholes	Will be addressed by Harding Group on 7/7/2021	Requested Harding to address while paving 71st Street. CLOSED	8-Jul-21
7-May-21	Mike Russo		WCB and Penn St.	Stop Sign at SE Corner knocked down and needs replaced	Will be issued to Morphey on 5/10/2021	Will be issued to Morphey on 5/10/2021	8-Oct-21
8/1/2021	Heidi Sommers		728 E. 71st Street	Tree	Per GIS it appears that the tree may be outside the R/W, but will require field measurement	Per GIS it appears that the tree may be outside the R/W, but will require field measurement	10-Sep-21
9/3/2021	Walter Freihofer		Penn and Arden	Pothole	LAS will inspect and issue to Globe to repair	Filled by Globe and inspected on 9/13/2021.	13-Sep-21
8/19/2021	Walter Freihofer		75th and Penn (SW corner)	Sinkhole	Contacted CEG to inspect and repair	CEG notified on 9/1/2021 that the issue has been given to the water department to address. WH e-mailed Bill Price w/ CEG on 1/14/2021 to check status. Considering this item as CLOSED.	15-May-22
9/13/2021	Colleen Fields		75th and Washington (100 ft. East)	Sinkhole	Contacted CEG to inspect and repair	WFH notified CEG on 9/14/2021 via e-mail. CEG responded that the issue has been given to a Utility Specialist to examine. 8x10 road plate installed. SR 108316450. WH sent follow up e-mails on 10/5, 10/9 and 11/5. Bill Price of CEG sewer indicated that they have televised the sewer and no issues were discovered, so WH has requested CEG water to investigate the sinkhole. WH e-mailed Bill Price w/ CEG on 1/14/2021 to check status. Considering this item as CLOSED.	15-May-22

12/8/2021	Jim Seymour		Meridian Hills Blvd	Missing chevron signs	Contacted DPW to replace signs	WFH requested repair on 12/8/2021. Indy DPW issued to maintenance and the signs were replaced on 12/10/2021. CLOSED.	10-Dec-21
3/31/2022	Walter Freihofer		7171 Penn EC issue at 1st Cong. Church	EC issue on the east edge of pvmt and into the swale	Notified CEG/DPW	LAS reported to DPW/CEG and Warren Brown (DPW) responded with SR# 108374688 - Erosion damage to the hybrid ditch that has exposed gas line lid. Referred to CW for erosion control. See 4/1/2022 email. 5/5/22 LAS inspection shows that work performed was swale dredging and clay infill at EP EC issue. CLOSED.	15-May-22
6/27/2022	Mike Russo		73rd and Holiday Drive West	Stop Sign knocked down	Sent to Morphey to replace with new stop sign	LAS reported to Morphey with request to replace on 6/28/2022. Sign installation completed on 7/1/2022. CLOSED	1-Jul-22
8/3/2022	Al Hall		65th and Meridian Street	Street ID sign needs repaired	Sent to Signarama to repair at earliest availability	LAS reported to Signarama with request to replace on 8/4/2022. Sign installation completed on 8/17/2022. CLOSED	17-Aug-22
9/9/2022	Colleen Fields		75th and Morningside	Street ID sign needs repaired	Will send to Signarama to repair at earliest availability	LAS reported to Signarama to repair on 9/22/2022. Invoice for the work sent on 10/4/2022.	4-Oct-22
10/3/2022	Amy Friedman	371-403-1691	71st Street - between College and Meridian	potholes	WH to send response to resident	WH sent e-mail to resident on 10/7/2022 indicating that TOMH is currently working the City to update jurisdiction of 71st Street correctly in Indy's system.	7-Oct-22
4/7/2023	Walter Freihofer		Wellington and Illinois	Stop Sign needs replaced	CRE issued to Morphey to replace	LAS investigated on 4/7/2023 and issued to Morphey to replace. Stop sign was replaced on 4/10/2023. CLOSED.	10-Apr-23
6/29/2022	Cathy West		73rd and Springmill	potholes	Issued to RequestIndy to repair	LAS reported to RequestIndy to repair on 7/6/2022. Item addressed with DPW project on Springmill]	
8/8/2022	Sean Belby		71st Street - between College and Penn Street	potholes	Issued to RequestIndy to repair	LAS has reported multiple times to RequestIndy to repair. The latest request was dated 8/23/2022. Item addressed with Town's repaving of 71st Street	
12/27/2022	Mike Russo		SW Cnr of 75th and Pennsylvania	Stop Sign needs replaced	Issued to Morphey to replace	WH sent e-mail to Morphey to replace sign on 1/7/2023 and asked for replacement to be expedited. CLOSED.	
1/4/2023	Beth Buck		75th Street - between Central and Washington Blvd	potholes	CRE will investigate and address accordingly	LAS will investigate on 1/10/2023 when completing pothole inventory and will report back if needed to be fixed by Globe. - LAS reported to Globe on 1/11/2023. Will be doing site visit to verify all potholes have been addressed. CLOSED	
1/4/2023	Beth Buck		Central Ave.	"NO OUTLET" signs missing	CRE will investigate and address accordingly	Based on aerial imagery there was a "NO OUTLET" sign on Central south of 75th Street, and it is anticipated that the construction of the house at the SW corner of 75th and Central removed the existing sign that was in poor condition. CRE recommends for "NO OUTLET" sign to be replaced, and if directed by the Town, will issue to Morphey to address. March Council Meeting Update - Walter to discuss with property owner. No Outlet Sign has been installed. CLOSED.	22-Dec-23
5/1/2023	Colleen Fields		75th and Morningside	No Outlet sign needs replaced	CRE to issue to Morphey to replace	LAS investigated on 5/4/2023 and will issue to Morphey to replace. Work completed and invoiced on 6/28/2023 including replacing stop sign at Park and 75th. CLOSED	7-Jul-23
5/1/2023	Colleen Fields		75th and Gypsy Hill	Street ID sign needs replaced and the post is bent	CRE to get quote from Signarama for replacement of signs and repair of posts	LAS investigated on 5/4/2023 and will get a quote from Signarama to replace signs and fix post. Will get approval from Town prior to issuing to Signarama to proceed. Quote is for \$1,400 and we can give NTP for Sign-a-rama upon council approval.. Work completed on 8/24/2023. CLOSED.	24-Aug-23

3/31/2022	Walter Freihofer		190 Pennridge Dr.	sinkhole	Notified CEG/DPW	LAS reported to DPW/CEG and Warren Brown (DPW) responded with SR# 108374912 - referred asset to CW for evaluation and repairs. See 4/1/2022 email and 4/4 email. 5/5/22 LAS inspection shows work performed was a cone placed in the sinkhole and a angle iron barricade placed at drive culvert. Will inquire to DPW what the plan is. See 5/5/22 email to Warren Brown at DPW. 5/15/2022 Update - DPW feels the sinkhole is over a private pipe and they will not address issues with private pipes. No action on this item for 2 year, so this is considered addressed.	3-Jul-24
10/22/2023	Zach Gordon / Walter Freihofer		71st and Penn	Stop Sign needs replaced	CRE to issue to DPW to replace damaged stop sign	Issue reported to RequestIndy for replacement of the stop sign (service request #23-00138656)	22-Dec-23
12/26/2023	Walter Freihofer		71st and Illinois	Stop Sign needs replaced	CRE issued to Morphey to replace damaged stop sign	Issued to Morphey to replace stop sign. Stop signed replaced on 12/22/2023. CLOSED.	22-Dec-23
2/17/2024	Walter Freihofer		75th and Washington Blvd	Stop Sign needs replaced	CRE issued to Morphey to replace damaged stop sign	Issued to Morphey to replace stop sign. Stop signed replaced on 2/19/2024. CLOSED.	19-Feb-24
5/7/2024	Mike Russo		Wellington and Holliday Dr. E.	Yield Sign knocked down	Issued to Morphey to replace	LAS investigated and issued to Morphey on 5/8/2024. Yield sign repaired and inspected. CLOSED	12-Jun-24
6/12/2024	Walter Friehofer		71st and Penn	Stop Sign knocked down	Issued to Morphey to replace	WH issued to Morphey on 6/12/2024. Stop sign was reset and then hit again. Sign bracket was re-cored in the pavement and sign re-installed on 6/18/2024. CLOSED	18-Jun-24
6/18/2024	Kathy Hasler		7251 N. Penn Street	Potholes	Walter issued to Globe Asphalt to address	Pothole repair request has been issued to Globe on 6/18/2024. Completed and CLOSED.	1-Jul-24
7/24/2024	Walter Friehofer		55 Wellington	Pavement failure	Issued to Globe to provide a quote to complete a full-depth pavement patch.	WH issued to Globe to provide quote on 7/24/2024, and go ahead to complete the work was issued on 8/1/2024. Work was completed on 8/21/2024. CLOSED	21-Aug-24

ARCHIVED REVIEW PROJECTS

DATE REC'D	NAME OF PETITIONER	PHONE NUMBER	PROJECT ADDRESS	DEVELOPMENT STANDARDS APPROVAL	DRAINAGE APPROVAL	NOTES	DATE CLOSED
1-Nov-16	Vivian Phelps	317-506-5529	250 W. 77th Street	Yes	Yes 18-Nov-16	Approved - No Further Action. Contact information for Indy BNS permitting provided to petitioner.	18-Nov-16
6-Sep-16	Oliver Shepherd Billy Evans	317-771-3095	721 Nottingham Court	Yes	Yes 10-Feb-17	Approved - No Further Action. See DRAINAGE worksheet - 721 Nottingham.	10-Feb-17
23-Feb-17	Greg Snelling	317-663-3206	7922 Hillcrest Drive	--	--	Parcel is outside Town of Meridian Hills. No action necessary. CLOSED	24-Feb-17
20-Feb-17	Laura Huebner	317-450-9912	Wellington Drive	--	--	Resident reached out to discuss requirements as a pre-filing step. Discussed requirements. No further action until plot plan submittal.	24-Feb-17
25-Apr-17	Drew Dunlap	646-369-2960	202 E. 71st Street	--	--	Resident reached out to discuss requirements for landscaping setbacks for a remodel project they are completing at residence. Sent e-mail with recommendations on 4/26/2017. No further action. CLOSED.	26-Apr-17
23-Jan-18	Amy Schmidt	schimdta@yahoo.com	7530 Washington Blvd.	Yes	Yes 21-Feb-18	Approved - No Further Action.	21-Feb-18
9-Aug-18	Tammy Rice	tammy@asappermits.com	250 W. 77th Street	Yes	Yes	Approved. No Further Action	19-Sep-18
27-Jun-19	Rick Hamilton		110 E. 75th Street	Yes	Yes	Approved. No Further Action	9-Jul-19
11-May-20	Hamilton Homes (Trent Gould)	317-514-1547	110 E. 75th Street (drive addition)	N/A	YES	Approved. No Further Action	7-Aug-20
21-Apr-21	Jayson Shuetz	317-875-8267	111 E. 75th Street	YES	YES	Council Approval at May 10, 2021 meeting for 2 drive cuts. Overall approval issued on 5/11/2021. Approved - No Further Action.	11-May-21
28-May-21	Katie Dolan		7080 N. Penn	N/A	N/A	Approved - No Further Action.	24-Jun-21
23-Jun-21	Jordan Schuck	317-417-8273	7801 N. Penn	N/A	YES	Approved - No Further Action.	29-Jun-21
13-Jul-21	Brad Ennis	812-287-1878	25 W. 65th St.	N/A	YES	Approved - No Further Action.	15-Sep-21
21-Jul-21	Brad Ennis	812-287-1878	44 Wellington Rd	N/A	YES	Approved - No Further Action.	15-Sep-21
29-Jul-21	Stev Pierre	317-706-6309	Park Tudor	N/A	N/A	No comments on the propsed improvements as it relates to Meridian Hills infrastructure impacts.	9-Oct-21
6-Apr-23	Diannah Contreras		44 Wellington	N/A	N/A	Approved - No Further Action.	25-Apr-23
31-Mar-23	Andrew Morris		7250 Washington Blvd	NO	YES	Approved - No Further Action.	30-May-23
19-May-23	Mitchell Kampman		7499 N. Illinois Street	NO	YES	Approved - No Further Action.	23-May-23